

**From:** Heather Predham  
**To:** Judy Budgell;  
"Sherry Freake";  
**Subject:** ER/PR  
**Date:** February-21-06 4:31:46 PM  
**Attachments:** Grand Falls.xls

---

Hi,

We finished Grand Falls on Saturday and I've attached the results. I sorted them by outcome and as you can see there are a few we need more information on....if you can get them to me before Saturday that would be great.....we will be meeting on Thursday and starting Gander

Call me tomroorw if you want to run through them

Heather

RS #	SPECIMEN #	PATIENT NAME	Blocks	Region	Original	Original	MS ER	MS PR	MS Tumour	IC	F/P	Comment
			N/A	Grand Falls	<10	<10	0	0	D	A	A	*not CC patient; if never treated, confirmed negative
			4	Grand Falls	<10	<10	0	0	D	PS	P	*not CC patient; if never treated, confirmed negative
			4	Grand Falls	neg	neg	0	0	D	PS	A	Confirmed negative
			1	Grand Falls	<5	<5	0	0	MCA	A	A	Confirmed negative
			13	Grand Falls	<10	<10	0	0	D	PS	A	Confirmed negative
			2	Grand Falls	neg	neg	0	0	D	A	A	Confirmed negative
			3	Grand Falls	neg	neg	0	0	D	PS	A	Confirmed negative
			A10	Grand Falls	<5	<5	0	0	D	PS	A	Confirmed negative
			28	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
			2	Grand Falls	<10	<10	0	0	D	PS	P	confirmed negative
			5	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
			5	Grand Falls	<5	<5	0	0	MCA	A	A	confirmed negative
			1	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			A5	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			1	Grand Falls	<5	<5	0	0	MCA	A	A	confirmed negative
			7	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			A5	Grand Falls	neg	neg	<1	0	D	PS	A	confirmed negative
			A2	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			1	Grand Falls	neg	neg	0	0	L	PS	A	confirmed negative
			B1-12	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			6	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			1	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
			B9	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			A8	Grand Falls	5	5	0	0	D	PS	A	confirmed negative
			2	Grand Falls	neg	neg	0	0	D	A	A	confirmed negative
			A3	Grand Falls	<10	<10	0	0	D	PS	A	confirmed negative
			2	Grand Falls	neg	neg	0	0	DCIS/M	PS	A	confirmed negative
			21	Grand Falls	neg	neg	0	0	DA	PS	A	confirmed negative
			B16	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
			3	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
			8	Grand Falls	<5	<5	0	0	D	PS	A	confirmed negative
			1	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			11	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			5	Grand Falls	neg	neg	0	0	D	PS	A	confirmed negative
			A5	Grand Falls	80	10	70	5	D	PS	A	Confirmed positive; will not be paneled
			3	Grand Falls	sl +	<5	100	0	D	PS	A	Confirmed positive; will not be paneled
			N/A	Grand Falls	pos	10	70	10	L	PS	A	Confirmed positive; will not be paneled
			2	Grand Falls	<30	<30	25	20	D	A	A	Confirmed positive; will not be paneled
			3	Grand Falls	30	neg	30	10	D	PS	A	Confirmed positive; will not be paneled
			3	Grand Falls	<10	<15	30	10	D	PS	A	deceased
			A2	Grand Falls	<10	<10	0	0	D	PS	A	deceased
			3	Grand Falls	<5	<15	0	0	D	PS	A	deceased
			2	Grand Falls	5	5	30	0	L	PS	A	deceased
			B2	Grand Falls	neg	neg	0	0	D	A	A	deceased
			A21	Grand Falls	<5	20	5	2	D	PS	A	deceased
			18	Grand Falls	10	10	60	40	D	PS	A	deceased
			1	Grand Falls	<5	<5	40	60	D	A	A	deceased
			1	Grand Falls	neg	neg	0	0	MCA	A	A	deceased
			6	Grand Falls					DCIS			deceased
			A8	Grand Falls	<10	50	70	80	D	PS	A	deceased
			6	Grand Falls	25	80	85	90	DT	PS	A	deceased
			A3	Grand Falls	0	90	20	30	D	PS	A	deceased
			N/A	Grand Falls	<5	35	10	90	D	A	A	deceased
			N/A	Grand Falls	neg	5 to 10	40	5	D	PS	A	deceased
			B5	Grand Falls	neg	90	20	80	DL	PS	A	deceased
			A8	Grand Falls	neg	min	0	0	D	PS	A	deceased
			9	Grand Falls	10	10	0	0	D	P	A	deceased
			16	Grand Falls	1 to 5	neg	0	0	D	PS	A	deceased
			C4	Grand Falls	<10	75	80	90	D	PS	A	deceased
			5	Grand Falls	<5	75	75	80	D	A	A	deceased
			B	Grand Falls	<10	<10	0	0	MCA	A	A	deceased
			1	Grand Falls	<5	<5	0	0	D	PS	A	deceased
			12	Grand Falls	slight +	neg	80	5	D	PS	A	Deferred: need information to panel
			1	Grand Falls	<5	<5	20	10	D	PS	A	Deferred: need information to panel
			A1	Grand Falls	<5	<5	40	0	L	PS	A	Deferred: need information to panel
			5	Grand Falls	neg	<5	75	75	D	PS	P	Deferred: need information to panel
			N/A	Grand Falls	<5	<5	40	30	D	PS	A	Deferred: need information to panel
			2	Grand Falls	<5	50	20	70	DL	PS	A	Deferred: need information to panel
			28	Grand Falls	5 to 10	5 to 10	60	20	L	PS	A	Deferred: need information to panel
			1	Grand Falls	1 to 5	1 to 5			DCIS			Deferred: slides to be reviewed
			1	Grand Falls	<5	50			NT			Deferred: slides to be reviewed
			1	Grand Falls	<10	<60	0	0	D	PS	A	Deferred: slides to be reviewed
			3	Grand Falls	neg	neg			DCIS			Deferred: slides to be reviewed
			4	Grand Falls	1 to 25	1 to 25			DCIS			Deferred: slides to be reviewed
			A10	Grand Falls	<5	<5			DCIS			Deferred: slides to be reviewed
			A23	Grand Falls	neg	neg			DCIS			Deferred: slides to be reviewed
			S4	Grand Falls	<10	<10	0	0	D	PS	A	Notified by HP 06/01/30: confirmed negative
			1	Grand Falls	<10	<10	10	20	D	PS	A	Paneled: recommended for Tamoxifen
			A4	Grand Falls	neg	neg	40	0	D	PS	P	Paneled: recommended for Tamoxifen
			1	Grand Falls	25-30	40-45	70	80	DT	A	A	Paneled: no recommendation; couldn't tolerate Tamoxifen
			5	Grand Falls	neg	70-80	20	20	D	PS	P	Paneled: no recommendation; couldn't tolerate Tamoxifen, refused Arimidex
			3	Grand Falls	<5	<5	90	10	D	PS	A	Paneled: no recommendation; low risk
			3	Grand Falls	<10	<10	50	70	DL	PS	A	Paneled: no recommendation; low risk
			2	Grand Falls	neg	neg	40	<1	L	PS	A	Paneled: no recommendation; low risk
			12	Grand Falls	<5	<10	60	20	D	PS	A	Paneled: no recommendation; low risk
			7	Grand Falls	neg	50-60	40	50	D	PS	A	Paneled: no recommendation; low risk
			7	Grand Falls	10	<10	85	60	DL	PS	A	Paneled: no recommendation; low risk
			6	Grand Falls	min +	mod +	80	80	D	PS	A	Paneled: no recommendation; low risk
			3	Grand Falls	neg	neg	30	60	DL	PS	A	Paneled: no recommendation; low risk
			A3	Grand Falls	20	20			NT			Paneled: no recommendation; low risk
			3	Grand Falls	<5	50-60	5	90	DT	PS	A	Paneled: no recommendation; low risk
			N/A	Grand Falls	<20	<20	50	20	D	PS	A	Paneled: no recommendation; on Femara
			11	Grand Falls			10	30	D	PS	A	Paneled: no recommendation; on Tamoxifen
			52	Grand Falls	5	5	60	0	D	PS	A	Paneled: no recommendation; on Tamoxifen
			1	Grand Falls	neg	95	80	95	PAP	PS	A	Paneled: no recommendation; on Tamoxifen
			6	Grand Falls	5 to 10	55-60	60	60	D	PS	A	Paneled: no recommendation; on Tamoxifen
			1	Grand Falls	1 to 5	70-80	90	80	L	PS	A	Paneled: no recommendation; on Tamoxifen

3	Grand Falls	10	80	50	90	D	PS	A	Panelled: no recommendation; on Tamoxifen
3	Grand Falls	<5	50	40	20	D	PS	A	Panelled: no recommendation; on Tamoxifen
1	Grand Falls	<5	10	50	70	D	PS	A	Panelled: no recommendation; on Tamoxifen
A3	Grand Falls	<5	30	10	50	D	PS	A	Panelled: no recommendation; on Tamoxifen
B2	Grand Falls	neg	60	10	50	D	PS	A	Panelled: no recommendation; on Tamoxifen
3	Grand Falls	neg	25-30	80	50	D	A	A	Panelled: no recommendation; on Tamoxifen
3	Grand Falls	<5	20	20	30	DL	PS	A	Panelled: no recommendation; on Tamoxifen
3	Grand Falls	20-25	35-40	30	25	DT	PS	A	Panelled: no recommendation; on Tamoxifen
8	Grand Falls	<20	<10	70	5	C	PS	A	Panelled: no recommendation; on Tamoxifen
2	Grand Falls	neg	10 to 15	40	10	D	PS	A	Panelled: no recommendation; on Tamoxifen
2	Grand Falls	<10	80			NT			Panelled: no recommendation; on Tamoxifen
A2	Grand Falls	5	70-75	40	90	DT	PS	A	Panelled: no recommendation; on Tamoxifen
3	Grand Falls	30	<10	70	50	D	PS	A	Panelled: no recommendation; on Tamoxifen/Femara
8	Grand Falls	<20	<10	95	70	D	A	A	Panelled: recommended for Tamoxifen
1	Grand Falls	<10	<10	80	80	L	PS	A	Panelled: recommended for Tamoxifen
B7	Grand Falls	<5	<5	20	0	D	PS	A	Panelled: recommended for Tamoxifen
14	Grand Falls	1 to 5	1 to 5	40	5	L	PS	P	Panelled: recommended for Tamoxifen
6	Grand Falls	<5	<5	40	30	D	PS	A	Panelled: recommended for Tamoxifen
16	Grand Falls	20	20	40	50	D	PS	A	Panelled: recommended for Tamoxifen
A7	Grand Falls	<5	<5	20	20	D	PS	P	Panelled: recommended for Tamoxifen
1	Grand Falls	neg	neg	60	10	D	PS	A	Panelled: recommended for Tamoxifen
1	Grand Falls	<10	<5	70	2	D	PS	A	Panelled: recommended for Tamoxifen
B7	Grand Falls	neg	neg	40	0	D	PS	A	Panelled: recommended for Tamoxifen
52	Grand Falls	neg	neg	60	80	L	PS	A	Panelled: recommended for Tamoxifen
B7	Grand Falls	5	5			DCIS			Previous DX of DCIS; should not have been retested/not paneled
5	Grand Falls	15-20	35-40			DCIS			Previous DX of DCIS; should not have been retested/not paneled