

From: Heather Predham
Sent: July 20, 2006 9:51 AM
To: Debbie Parsons
Subject: FW: ER/PR Letters for Dr. Williams Review


-----Original Message-----

From: IG PARSONS [mailto:igp@nl.rogers.com]
Sent: Saturday, June 17, 2006 9:52 PM
To: Heather Predham
Subject: ER/PR Letters for Dr. Williams Review

Hi Heather

These are letters for Dr. Williams review - I have a question on [REDACTED] letter, please review.

See you when I get back
Debbie



www.metrobasketball.nl.ca

June 9, 2006

Dr. [REDACTED]
[REDACTED]

Dear Dr. [REDACTED]

RE: [REDACTED]

MCP #: [REDACTED]

Ms. [REDACTED] was diagnosed with breast cancer in 1998. The original report of the estrogen and progesterone receptors showed weakly positive staining for estrogen and negative staining for progesterone. A repeat report from Mount Sinai Hospital has shown the levels of estrogen and progesterone to be 0% for both and this was confirmed with another test.

This patient was discussed at the Physician Review Panel on June 8, 2006. Review of the patient's health record revealed that she completed 5 years of Tamoxifen early in 2004. Because the retesting has confirmed that Ms. [REDACTED] is estrogen and progesterone negative the panel recommends that she not receive any further hormonal therapy.

We would ask that you communicate this information to your patient as soon as possible.

Yours sincerely,

Kara Laing, M.D., F.R.C.P. (C)
Clinical Chief, Cancer Care Program
The Dr. H. Bliss Murphy Cancer Center

Cc: Dr. [REDACTED]
Corner Brook Peripheral Clinic

June 9, 2006

Dr. [REDACTED]
[REDACTED]

Dear Dr. [REDACTED]

RE: [REDACTED]

MCP #: [REDACTED]

Ms. [REDACTED] was diagnosed with cancer of the left breast in 1999. The original report of the estrogen and progesterone receptors showed 30% staining for estrogen and 40% staining for progesterone. A repeat report from Mount Sinai Hospital has shown the tumour to be estrogen and progesterone negative for staining. This result has been checked twice and still reveals no staining.

This patient was discussed at the Physician Review Panel on June 8, 2006. Review of the patient's health record revealed that she was initially treated with Tamoxifen from 1999 until 2004 and then was switched to Femara for extended adjuvant therapy. This was discontinued in October 2005 due to side effects. The Panel recommends that this lady remain off Femara and not receive any further hormonal therapy for her breast cancer.

We would ask that you communicate this information to your patient as soon as possible.

Yours sincerely,

Kara Laing, M.D., F.R.C.P. (C)
Clinical Chief, Cancer Care Program
The Dr. H. Bliss Murphy Cancer Center

Cc: Dr. [REDACTED]
Dr. [REDACTED]
Gander Peripheral Clinic

Heather, My notes says the lady was treated with Tamoxifen and offered treatment with Arimidex in October 2005 and then she was diagnosed in November 2005 – something doesn't seem right! May have to get chart again! Is Arimidex hormonal treatment!

June 9, 2006

Dr. [REDACTED]
[REDACTED]

Dear Dr. [REDACTED]

RE: [REDACTED]

MCP #: [REDACTED]

Ms. [REDACTED] was diagnosed with breast cancer in November 2005. The original report of the estrogen and progesterone receptors showed negative staining for estrogen and 20-25% staining for progesterone. A repeat report from Mount Sinai Hospital has shown the levels of estrogen and progesterone to be 0% for both and this was confirmed with another test.

This patient was discussed at the Physician Review Panel on June 8, 2006. Review of the patient's health record revealed that she was initially treated with Tamoxifen. The recommendation of the panel is that treatment with Arimidex be discussed with Ms. [REDACTED] and that she not be given any further hormonal therapy.

We would ask that you communicate this information to your patient as soon as possible.

Yours sincerely,

Kara Laing, M.D., F.R.C.P. (C)
Clinical Chief, Cancer Care Program
The Dr. H. Bliss Murphy Cancer Center

Cc: Dr. [REDACTED]
Dr. [REDACTED]

June 9, 2006

Dr. [REDACTED]
[REDACTED]

Dear Dr. [REDACTED]

Ms. [REDACTED] was diagnosed with breast cancer in 1998. The original report of the estrogen and progesterone receptors showed 25-30% staining for estrogen and 50% staining for progesterone. A repeat report from Mount Sinai Hospital has shown the levels of estrogen and progesterone to be 0% for both. This has been repeated and the receptors are still 0%.

This patient was discussed at the Physician Review Panel on June 8, 2006. Review of the patient's health record revealed that Ms. [REDACTED] was treated based on her initial results and placed on Tamoxifen for five years. Because the retesting has confirmed that Ms. [REDACTED] is estrogen and progesterone negative the panel recommends that she not receive any further hormonal therapy for her breast cancer.

If you wish, this patient may be referred to one of the Medical Oncologists at The Dr. H. Bliss Murphy Cancer Center for further evaluation.

We would ask that you communicate this information to your patient as soon as possible.

Yours sincerely,

Kara Laing, M.D., F.R.C.P. (C)
Clinical Chief, Cancer Care Program
The Dr. H. Bliss Murphy Cancer Center

Cc: Dr. [REDACTED]

Charts for Review
Thursday, June 8, 2006
2pm – Cancer Center

