

June 29, 2005

Dr. Joy McCarthy Bliss Murphy Cancer Clinic Health Sciences Centre St. John's, NL


Dear Dr. McCarthy:

As per our previous discussions, repeat estrogen receptor and progesterone receptor has been carried out on the following patients, initially identified as estrogen receptor negative. The results are as follows:

Patient Name:	Surgical #:	Estrogen Receptor Status:	Progesterone Receptor Status:
MCP	SS-3706-02	Positive	Positive
/ MCP	SS-7385-02	Positive	Positive
MCP	SG-2370-99	Negative	Negative
MCP	SS-5473-02	Negative	Negative
MCP	SS-1148-01 (Carbonear General Hospital)	Positive	Positive
	SS-805-01 (Carbonear General Hospital)	Positive	Positive

St. Clare's Mercy Hospital

-3.



Thank you for your attention in this matter.

Yours sincerely,

Beverley A. Carter, MD, FRCPC

Anatomic Pathologist, Breast Pathologist

Doneld M. Cook, MD, FRCPC, FCAP

Clinical Chief, Laboratory Medicine Program

St. John's Hospitals, Eastern Health

Phone 709-777-5530 / 5482/ 5493

Fax 709-777-5178

_2..

	Patient Name & MCP:	Surgical #:	Estrogen Receptor Status:	Progesterone Receptor Status:
	MCP	SU-357-02	Positive (10% moderate to strong positivity)	Positive (moderate to strong positivity in 10% of cells)
	MCP	SU-647-02	Negative	Negative
	MCP	SU-4741-02	Negative	Negative
	MCP	SU-5805-02	Positive	Positive
Ą	MCP	SU-8300-02	Positive	Positive
	K MCP	SU-8626-02	Positive	Positive —
	MCP	SU-9081-02	Positive	Positive
MCP	SU-9848-02	Negative	Negative	
	MCP	SU-10391-02	Positive	Positive
MCP	SU-11314-02	Negative	Negative	
	MCP	SU-11469-02	Negative	Negative
	MACE	SU-12809-02	Negative	Negative
	MCP	$\mathcal{L}_{ ext{SU-}13020-02}^{3}$	Positive	Positive