

Paul Neil

From: patho-l-bounces@mailman.srv.ualberta.ca on behalf of Wargotz, Eric [ewargotz@dchweb.org]
 Sent: Friday, September 16, 2005 5:10 PM
 Pathology Discussion Group; Pathology Discussion Group
 Subject: RE: [PATHO-L] Ventana ER/PR cutoff?

All patients and nearly all oncologists will treat if ANY immunoreactivity is identified. I say patients because, as you know, most seek info. about their disease and I have been quite impressed by some of the knowledge they acquire. If a patient learns of any positivity greater than 0 then they typically demand of their oncologist, treatment.

Eric Wargotz, M.D.

CONFIDENTIALITY STATEMENT: This communication, including attachments, is for the exclusive use of addressee and may contain proprietary, confidential or privileged information. If you are not the intended recipient, you are hereby notified that any disclosure, use, copying, dissemination, distribution or taking of any action in reliance on the content of this information is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return email and delete this communication and destroy all copies. Thank you.

From: patho-l-bounces@mailman.srv.ualberta.ca on behalf of Peter Benson
 Sent: Thu 9/15/2005 9:18 PM
 Pathology Discussion Group
 Subject: [PATHO-L] Ventana ER/PR cutoff?

We do our ER/PR in house, with a Ventana automated immunostainer. We have been using a "positive" cutoff of 10% cells showing nuclear staining, but recently heard about some groups using lower cutoffs on different staining systems. Ventana says our our cutoff level is up to us.

Can anyone else using the Ventana system provide feedback re: the cutoff level you use, and why? Anyone "score" these?

Peter Benson
 North Oaks MN

PATHO-L mailing list
 PATHO-L@mailman.srv.ualberta.ca
<http://www.mailman.srv.ualberta.ca/mailman/listinfo/patho-l>

PATHO-L mailing list
 PATHO-L@mailman.srv.ualberta.ca
<http://www.mailman.srv.ualberta.ca/mailman/listinfo/patho-l>